

SNOWMASS 2021 LETTER OF INTEREST

FORWARD PHYSICS FACILITY

Roshan M. Abraham,¹ Henso Abreu,² Yoav Afik,² Sanjib K. Agarwalla,³ Juliette Alimena,⁴ Luis Anchordoqui,⁵ Claire Antel,⁶ Akitaka Ariga,⁷ Tomoko Ariga,⁸ Carlos A. Argüelles,⁹ Kento Asai,¹⁰ Pouya Bakhti,¹¹ Akif B. Balantekin,¹² Victor Baules,¹³ Brian Batell,¹⁴ James Beacham,¹⁵ John F. Beacom,^{4,16,17} Nicole F. Bell,¹⁸ Florian Bernlochner,¹⁹ Atri Bhattacharya,²⁰ Tobias Boeckh,¹⁹ Jamie Boyd,²¹ Lydia Brenner,²¹ Mauricio Bustamante,²² Franck Cadoux,⁶ Mario Campanelli,²³ David W. Casper,²⁴ Grigorios Chachamis,²⁵ Spencer Chang,²⁶ Xin Chen,²⁷ Michael L. Cherry,²⁸ James M. Cline,²⁹ Ruben Conceição,³⁰ Andreas Crivellin,²¹ Matthew Citron,³¹ Andrea Coccaro,³² Yanou Cui,³³ Mohamed R. Darwish,³⁴ Carlos P. de los Heros,³⁵ Patrick deNiverville,³⁶ Peter B. Denton,³⁷ Albert De Roeck,²¹ Frank F. Deppisch,²³ Jordy de Vries,³⁸ Claudio Dib,³⁹ Caterina Doglioni,⁴⁰ Monica D’Onofrio,⁴¹ Liam Dougherty,²¹ Candan Dozen,²⁷ Marco Drewes,⁴² Bhaskar Dutta,⁴³ Tamer Elkafrawy,⁴⁴ Sebastian A. R. Ellis,⁴⁵ Rouven Essig,⁴⁶ Glennys R. Farrar,⁴⁷ Yasaman Farzan,¹¹ Yannick Favre,⁶ Anatoli Fedynitch,⁴⁸ Deion Fellers,²⁶ Jonathan L. Feng,^{a,24} Didier Ferrere,⁶ Patrick Foldenauer,⁴⁹ Saeid Foroughi-Abari,⁵⁰ Jonathan Gall,²¹ Iftah Galon,⁵¹ Maria V. Garzelli,⁵² Stefano Giagu,⁵³ Stephen Gibson,⁵⁴ Francesco Giuli,⁵⁵ Bhawna Gomber,⁵⁶ Victor P. Goncalves,⁵⁷ Sergio Gonzalez-Sevilla,⁶ Yury Gornushkin,⁵⁸ Sumit Ghosh,⁴³ Claire Gwenlan,⁵⁹ Carl Gwilliam,⁴¹ Jan Hajer,⁴² Francis Halzen,^{12,60} Juan Carlos Helo,⁶¹ Christopher S. Hill,⁴ Martin Hirsch,⁶² Samuel D. Homiller,⁴⁶ Matheus Hostert,^{63,64} Shih-Chieh Hsu,⁶⁵ Zhen Hu,²⁷ Pham Q. Hung,⁶⁶ Giuseppe Iacobucci,⁶ Philip Ilten,⁶⁷ Tomohiro Inada,⁴⁸ Hiroyuki Ishida,⁶⁸ Aya Ishihara,⁶⁹ Ahmed Ismail,¹ Ameen Ismail,⁷⁰ Sune Jakobsen,²¹ Yu Seon Jeong,²¹ Yongsoo Jho,⁷¹ Krzysztof Jodlowski,⁷² Enrique Kajomovitz,² Kevin J. Kelly,⁷³ Maxim Yu. Khlopov,^{74,75,76} Valery A. Khoze,⁴⁹ Doojin Kim,⁴³ Jongkuk Kim,⁷⁷ Teppei Kitahara,⁷⁸ Felix Kling,^{a,45} Joachim Kopp,^{21,79} Umut Kose,²¹ Piotr Kotko,⁸⁰ John Krizmanic,⁸¹ Susanne Kuehn,²¹ Suchita Kulkarni,⁸² Jason Kumar,⁸³ Alexander Kusenko,⁸⁴ Krzysztof Kutak,⁸⁵ Greg Landsberg,⁸⁶ Luca Lavezzo,⁴ Rebecca K. Leane,⁴⁵ Hye-Sung Lee,⁸⁷ Helena Lefebvre,⁵⁴ Benjamin V. Lehmann,⁸⁸ Lorne Levinson,⁸⁹ Ke Li,⁶⁵ Shirley W. Li,⁴⁵ Shuailong Li,⁹⁰ Benjamin Lillard,⁹¹ Jinfeng Liu,²⁷ Wei Liu,⁹² Zhen Liu,⁹³ Steven Lowette,⁹⁴ Chiara Magliocca,⁶ Brandon Manley,⁴ Danny Marfatia,⁸³ Ioana Maris,⁹⁵ Josh McFayden,²¹ Sam Meehan,²¹ Sascha Mehlhase,⁹⁶ David W. Miller,⁹⁷ Dimitar Mladenov,²¹ Vasiliki A. Mitsou,⁶² Rabindra N. Mohapatra,⁹³ Mitsuhiro Nakamura,⁹⁸ Toshiyuki Nakano,⁹⁸ Marzio Nessi,²¹ Friedemann Neuhaus,⁷⁹ Kenny C. Y. Ng,⁹⁹ Koji Noda,⁴⁸ Satsuki Oda,¹⁰⁰ Nobuchika Okada,¹³ Satomi Okada,¹³ Yasar Onel,¹⁰¹ John Osborne,²¹ Hidetoshi Otono,⁸ Carlo Pandini,⁶ Vishvas Pandey,¹⁰² Hao Pang,²⁷ Silvia Pascoli,⁴⁹ Seong Chan Park,⁷¹ Brian Petersen,²¹ Alexey A. Petrov,¹⁰³ Tanguy Pierog,¹⁰⁴ Francesco Pietropaolo,²¹ James L. Pinfold,¹⁰⁵ Markus Prim,¹⁹ Michaela Queitsch-Maitland,²¹ Meshkat Rajaei,¹¹ Digesh Raut,¹⁰⁶ Federico L. Redi,¹⁰⁷ Peter Reimitz,¹⁰⁸ Mary Hall Reno,¹⁰¹ Filippo Resnati,²¹ Adam Ritz,⁵⁰ Thomas Rizzo,⁴⁵ Tania Robens,¹⁰⁹ Christophe Royon,¹¹⁰ Jakob Salfeld-Nebgen,²¹ Osamu Sato,⁹⁸ Paola Scampoli,^{7,111} Kristof Schmieden,²¹ Matthias Schott,⁷⁹ Pedro Schwaller,⁷⁹ Manibrata Sen,¹¹² Dipan Sengupta,¹¹³ Anna Sfyrlla,⁶ Qaisar Shafi,¹⁰⁶ Takashi Shimomura,¹¹⁴ Seodong Shin,¹¹⁵ Savannah Shively,²⁴ Ian M. Shoemaker,¹¹⁶ Carlos V. Sierra,¹¹⁷ Torbjörn Sjöstrand,¹¹⁸ Yotam Soreq,² Huayang Song,⁹⁰ Jordan Smolinsky,¹⁰² John Spencer,⁶⁵ David Stuart,³¹ Shufang Su,⁹⁰ Wei Su,¹¹⁹ Antoni Szczurek,^{120,121} Dai-suke Takahashi,¹⁰⁰ Yosuke Takubo,¹²² Ondřej Theiner,⁶ Serap Tilav,¹⁰⁶ Charles Timmermans,^{117,123} Eric Torrence,²⁶ Sebastian Trojanowski,¹²⁴ Yu-Dai Tsai,⁷³ Serhan Tufanli,²¹ Paolo Valente,¹²⁵ Benedikt Vormwald,²¹

^a Contact Information: Jonathan L. Feng (jlf@uci.edu), Felix Kling (felixk@slac.stanford.edu)

Carlos E. M. Wagner,^{97,126} Di Wang,²⁷ Zeren S. Wang,¹²⁷ Tao Xu,¹²⁸ Tianlu Yuan,^{12,60} Tevong You,²¹ Shigeru Yoshida,⁶⁹ Dengfeng Zhang,²⁷ Gang Zhang,²⁷ Yue Zhang,¹²⁹ and Yi-Ming Zhong¹³⁰

¹*Department of Physics, Oklahoma State University, Stillwater, OK 74074, USA*

²*Department of Physics and Astronomy, Technion—Israel Institute of Technology, Haifa 32000, Israel*

³*Institute of Physics, Sachivalaya Marg, Sainik School Post, Bhubaneswar 751005, India*

⁴*Department of Physics, The Ohio State University, Columbus, OH 43210-1117, USA*

⁵*Department of Physics and Astronomy, Lehman College,
City University of New York, Bronx, NY 10468, USA*

⁶*Département de Physique Nucléaire et Corpusculaire,
University of Geneva, CH-1211 Geneva 4, Switzerland*

⁷*Albert Einstein Center for Fundamental Physics, Laboratory for High Energy Physics,
Universität Bern, Sidlerstrasse 5, CH-3012 Bern, Switzerland*

⁸*Kyushu University, Nishi-ku, 819-0395 Fukuoka, Japan*

⁹*Department of Physics Harvard University, Cambridge, MA 02138, USA*

¹⁰*Department of Physics, University of Tokyo, Bunkyo-ku, Tokyo 113-0033, Japan*

¹¹*IPM School of Physics, Institute for Research in Fundamental Sciences, Tehran, Iran*

¹²*Department of Physics, University of Wisconsin, Madison, WI 53706, USA*

¹³*Department of Physics and Astronomy, University of Alabama, Tuscaloosa, AL 35487, USA*

¹⁴*Department of Physics and Astronomy, University of Pittsburgh, Pittsburgh, PA 15260, USA*

¹⁵*Department of Physics, Duke University, Durham, NC 27710, USA*

¹⁶*Center for Cosmology and AstroParticle Physics (CCAPP),
Ohio State University, Columbus, OH 43210, USA*

¹⁷*Department of Astronomy, Ohio State University, Columbus, OH 43210, USA*

¹⁸*School of Physics, The University of Melbourne, Victoria 3010, Australia*

¹⁹*Physikalisches Institut, Universität Bonn, Germany*

²⁰*Space sciences, Technologies and Astrophysics Research (STAR) Institute, Université de Liège, 4000 Liège, Belgium*

²¹*CERN, CH-1211 Geneva 23, Switzerland*

²²*Niels Bohr International Academy & DARK, Niels Bohr Institute,
University of Copenhagen, Copenhagen 2100, Denmark*

²³*Department of Physics and Astronomy, University College London, WC1E 6BT London, United Kingdom*

²⁴*Department of Physics and Astronomy, University of California, Irvine, CA 92697-4575, USA*

²⁵*LIP, Av. Prof. Gama Pinto 2, P-1649-003 Lisboa, Portugal*

²⁶*Department of Physics, University of Oregon, Eugene, Oregon 97403, USA*

²⁷*Department of Physics, Tsinghua University, Beijing, China*

²⁸*Department of Physics and Astronomy, Louisiana State University, Baton Rouge, LA 70803, USA*

²⁹*Department of Physics, McGill University, Montreal, Qc H3A 2T8, Canada*

³⁰*Laboratório de Instrumentação e Física Experimental de Partículas - LIP
and Instituto Superior Técnico - IST, Universidade de Lisboa - UL, Portugal*

³¹*Department of Physics, University of California, Santa Barbara, CA 93106, USA*

³²*INFN Sezione di Genova, Via Dodecaneso, 33-16146, Genova, Italy*

³³*Department of Physics and Astronomy, University of California, Riverside, CA 92521, USA*

³⁴*Universiteit Antwerpen, Antwerpen, Belgium*

³⁵*Department of Physics and Astronomy, Uppsala University, Uppsala, Sweden*

³⁶*T-2, Los Alamos National Laboratory, Los Alamos, NM, 87544, USA*

³⁷*High Energy Theory Group, Physics Department,
Brookhaven National Laboratory, Upton, NY 11973, USA*

³⁸*Amherst Center for Fundamental Interactions, Department of Physics,
University of Massachusetts Amherst, Amherst, MA 01003, USA*

³⁹*Department of Physics, Universidad Tecnica Federico Santa Maria, Valparaiso, Chile*

⁴⁰*Fysikum, Lund University, Lund, Sweden*

⁴¹*Oliver Lodge Laboratory, University of Liverpool, United Kingdom*

⁴²*Centre for Cosmology, Particle Physics and Phenomenology,
Université catholique de Louvain, Louvain-la-Neuve B-1348, Belgium*

⁴³*Mitchell Institute for Fundamental Physics and Astronomy,
Department of Physics and Astronomy, Texas A&M University, College Station, TX 77843, USA*

- ⁴⁴*Department of Aerospace, Physics and Space Sciences,
Florida Institute of Technology, Melbourne, FL 32901, USA*
- ⁴⁵*SLAC National Accelerator Laboratory, 2575 Sand Hill Road, Menlo Park, CA 94025, USA*
- ⁴⁶*C. N. Yang Institute for Theoretical Physics,
Stony Brook University, Stony Brook, NY 17794, USA*
- ⁴⁷*Center for Cosmology and Particle Physics,
New York University, New York, NY 10003, USA*
- ⁴⁸*Institute for Cosmic Ray Research, University of Tokyo,
5-1-5, Kashiwa-no-ha, Kashiwa, Chiba 277-8582, Japan*
- ⁴⁹*Institute for Particle Physics Phenomenology, Department of Physics,
Durham University, Durham, DH1 3LE, United Kingdom*
- ⁵⁰*Department of Physics and Astronomy, University of Victoria, Victoria, BC V8W 2Y2, Canada*
- ⁵¹*New High Energy Theory Center, Rutgers,
The State University of New Jersey, Piscataway, NJ 08854-8019, USA*
- ⁵²*II. Institut für Theoretische Physik, Universität Hamburg, D-22761 Hamburg, Germany*
- ⁵³*Sapienza Università di Roma and INFN, Roma, 00185, Italy*
- ⁵⁴*Royal Holloway, University of London, Egham, TW20 0EX, United Kingdom*
- ⁵⁵*University of Rome Tor Vergata and INFN, Sezione di Roma 2, 00133 Rome, Italy*
- ⁵⁶*University of Hyderabad, Hyderabad, 500046, India*
- ⁵⁷*Universidade Federal de Pelotas, Pelotas, 96010-900, Brazil*
- ⁵⁸*Laboratory of Nuclear Problems, Joint Institute for Nuclear Research, Dubna, 141980 Russia*
- ⁵⁹*Department of Physics, Oxford University, Oxford, United Kingdom*
- ⁶⁰*Wisconsin IceCube Particle Astrophysics Center,
University of Wisconsin, Madison, WI 53706, USA*
- ⁶¹*Departamento de Física, Facultad de Ciencias,
Universidad de La Serena, Avenida Cisternas 1200, La Serena, Chile*
- ⁶²*Instituto de Física Corpuscular, Universidad de Valencia & CSIC, 46980 Paterna, Spain*
- ⁶³*School of Physics and Astronomy, University of Minnesota, Minneapolis, MN 55455, USA*
- ⁶⁴*Perimeter Institute for Theoretical Physics, Waterloo, ON N2J 2W9, Canada*
- ⁶⁵*Department of Physics, University of Washington, Seattle, WA 98195-1560, USA*
- ⁶⁶*Department of Physics, University of Virginia, Charlottesville, VA 22904, USA*
- ⁶⁷*Department of Physics, University of Cincinnati, Cincinnati, Ohio 45221, USA*
- ⁶⁸*KEK Theory Center, IPNS, Tsukuba, Ibaraki 305-0801, Japan*
- ⁶⁹*Department of Physics and Institute for Global Prominent Research, Chiba University, Chiba 263-8522, Japan*
- ⁷⁰*Department of Physics, LEPP, Cornell University, Ithaca, NY 14853, USA*
- ⁷¹*Department of Physics, Yonsei University, Seoul 03722, Republic of Korea*
- ⁷²*National Centre for Nuclear Research, Pasteura 7, 02-093 Warsaw, Poland*
- ⁷³*Fermi National Accelerator Laboratory, P.O. Box 500, Batavia, IL 60510, USA*
- ⁷⁴*Institute of Physics, Southern Federal University,
Stachki 194 Rostov on Don 344090, Russia*
- ⁷⁵*National Research Nuclear University MEPhI (Moscow Engineering Physics Institute), Moscow, Russia*
- ⁷⁶*Universite de Paris, CNRS, Astroparticule et Cosmologie, F-75013 Paris, France*
- ⁷⁷*Korea Institute for Advanced Study, Seoul 02455, Republic of Korea*
- ⁷⁸*Kobayashi-Maskawa Institute for the Origin of Particles and the Universe,
Nagoya University, Nagoya 464-8602, Japan*
- ⁷⁹*Institut für Physik, Johannes Gutenberg-University, Mainz 55128, Germany*
- ⁸⁰*Faculty of Physics and Applied Computer Science,
AGH University of Science and Technology, Mickiewicza 30, 30-059 Krakow, Poland*
- ⁸¹*Center for Space Sciences and Technology, University of Maryland,
Baltimore County, Baltimore, MD 21228, USA*
- ⁸²*Institute of Physics, NAWI Graz, University of Graz, Universitaetsplatz 5, A-8010 Graz, Austria*
- ⁸³*Department of Physics and Astronomy, University of Hawaii at Manoa, Honolulu, HI 96822, USA*
- ⁸⁴*Department of Physics and Astronomy, University of California, Los Angeles, CA 90095-1547, USA*
- ⁸⁵*Institute of Nuclear Physics, Polish Academy of Sciences Radzikowskiego 152, 31-342 Krakow, Poland*
- ⁸⁶*Department of Physics, Brown University, Providence, RI 02912, USA*
- ⁸⁷*Department of Physics, KAIST, Daejeon 34141, Korea*

- ⁸⁸Department of Physics, University of California, Santa Cruz, CA 95064, USA
- ⁸⁹Department of Particle Physics and Astrophysics,
Weizmann Institute of Science, Rehovot 76100, Israel
- ⁹⁰Department of Physics, University of Arizona, Tucson, AZ 85721, USA
- ⁹¹Department of Physics, University of Illinois Urbana-Champaign, Urbana, IL 61801
- ⁹²Department of Applied Physics, Nanjing University of Science and Technology, Nanjing 210094, China
- ⁹³Maryland Center for Fundamental Physics, Department of Physics,
University of Maryland, College Park, MD 20742, USA
- ⁹⁴Department of Physics, Vrije Universiteit Brussel, Brussels, Belgium
- ⁹⁵Université Libre de Bruxelles, Département de Physique,
Boulevard du Triomphe, 2 CP 230, 1050 Bruxelles, Belgium
- ⁹⁶Ludwig-Maximilians-Universität München, Theresienstrasse 37, 80333 München, Germany
- ⁹⁷Physics Department, University of Chicago, Chicago, IL 60637, USA
- ⁹⁸Nagoya University, Furo-cho, Chikusa-ku, Nagoya 464-8602, Japan
- ⁹⁹Department of Physics, The Chinese University of Hong Kong, Shatin, New Territories, Hong Kong
- ¹⁰⁰Okinawa Institute of Science and Technology Graduate University (OIST), Onna, Okinawa 904-0495, Japan
- ¹⁰¹Department of Physics and Astronomy, University of Iowa, Iowa City, IA 52246, USA
- ¹⁰²Department of Physics, University of Florida, Gainesville, FL 32611, USA
- ¹⁰³Department of Physics and Astronomy, Wayne State University, Detroit, MI 48201, USA
- ¹⁰⁴Institut für Kernphysik, Karlsruhe Institute of Technology, Karlsruhe, Germany
- ¹⁰⁵Physics Department, University of Alberta, Edmonton, Alberta T6G 2E4, Canada
- ¹⁰⁶Department of Physics and Astronomy, University of Delaware, Newark, DE 19716, USA
- ¹⁰⁷Institute of Physics, Ecole Polytechnique Fédérale de Lausanne (EPFL), Lausanne, Switzerland
- ¹⁰⁸Institut für Theoretische Physik, Universität Heidelberg, 69120 Heidelberg, Germany
- ¹⁰⁹Rudjer Boskovic Institut, Bijenicka cesta 54, 10000 Zagreb, Croatia
- ¹¹⁰Department of Physics and Astronomy, University of Kansas, Lawrence, KS 66045, USA
- ¹¹¹Dipartimento di Fisica “Ettore Pancini”, Università di Napoli Federico II,
Complesso Universitario di Monte S. Angelo, I-80126 Napoli, Italy
- ¹¹²Department of Physics, University of California Berkeley, Berkeley, California 94720, USA
- ¹¹³Department of Physics and Astronomy, University of California,
San Diego, 9500 Gilman Drive, La Jolla, CA 92093-0319, USA
- ¹¹⁴Faculty of Education, University of Miyazaki, Miyazaki, 889-2192, Japan
- ¹¹⁵Department of Physics, Jeonbuk National University, Jeonju, Jeonbuk 54896, Korea
- ¹¹⁶Center for Neutrino Physics, Department of Physics,
Virginia Tech University, Blacksburg, VA 24601, USA
- ¹¹⁷Nationaal Instituut voor Kernfysica en Hoge Energie Fysica (NIKHEF),
Science Park, Amsterdam, The Netherlands
- ¹¹⁸Department of Astronomy and Theoretical Physics, Lund University, Lund, Sweden
- ¹¹⁹ARC Centre of Excellence for Particle Physics at the Terascale,
Department of Physics, University of Adelaide, South Australia 5005, Australia
- ¹²⁰Institute of Nuclear Physics PAN, PL-31-342 Krakow, Poland
- ¹²¹College of Natural Sciences, Institute of Physics,
University of Rzeszow, Pigonia 1, PL-35310 Rzeszow, Poland
- ¹²²Institute of Particle and Nuclear Study, KEK,
Oho 1-1, Tsukuba, Ibaraki 305-0801, Japan
- ¹²³Institute for Mathematics, Astrophysics and Particle Physics (IMAPP),
Radboud University Nijmegen, Nijmegen, The Netherlands
- ¹²⁴Consortium for Fundamental Physics, School of Mathematics and Statistics,
University of Sheffield, Hounsfield Road, Sheffield, S3 7RH, United Kingdom
- ¹²⁵INFN Sezione di Roma, P.le Aldo Moro 2 I-00185, Roma, Italy
- ¹²⁶High Energy Physics Division, Argonne National Laboratory, Argonne, IL 60439, USA
- ¹²⁷Asia Pacific Center for Theoretical Physics (APCTP) - Headquarters San 31,
Hyoja-dong, Namgu, Pohang 790-784, Korea
- ¹²⁸Racah Institute of Physics, Hebrew University of Jerusalem, Jerusalem 91904, Israel
- ¹²⁹Department of Physics, Carleton University, Ottawa, K1S 5B6, Canada
- ¹³⁰Kavli Institute for Cosmological Physics, University of Chicago, IL 60637, USA

ABSTRACT

A rich physics program remains unexplored in the far-forward region at the LHC. The Forward Physics Facility (FPF) is a proposal to enlarge an existing cavern in the far-forward region of ATLAS to house a suite of experiments with groundbreaking new capabilities for neutrinos, long-lived particle searches, milli-charged particle searches, QCD, dark matter, dark sectors, and cosmic rays. The FPF will be located 500 m from the ATLAS interaction point. It is shielded from the ATLAS interaction point by 100 m of concrete and rock, creating an extremely low-background environment, ideal for many standard model studies and new physics searches. In this Letter of Interest, we describe the FPF's location and general features, its physics potential in the HL-LHC era, and topics for further study.

THEMATIC AREAS

- (EF05) QCD and Strong Interactions: Precision QCD
- (EF06) QCD and Strong Interactions: Hadronic Structure and Forward QCD
- (EF09) BSM: More General Explorations
- (EF10) BSM: Dark Matter at Colliders
- (NF03) BSM
- (NF06) Neutrino Interaction Cross Sections
- (NF10) Neutrino Detectors
- (RF06) Dark Sector Studies at High Intensities
- (CF07) Cosmic Probes of Fundamental Physics
- (AF05) Accelerators for PBC and Rare Processes
- (UF01) Underground Facilities for Neutrinos
- (UF02) Underground Facilities for Cosmic Frontier

Introduction In planning for the coming decades in particle physics, it is critically important to maximize the physics potential of the High-Luminosity LHC (HL-LHC). For decades, the focus at the energy frontier has been on high- p_T physics and the production of heavy particles through processes with fb to nb cross sections. The total pp interaction cross section at the LHC is 75 mb [1, 2], however, and most of the events, and most of the highest-energy particles created, are in the far-forward region at low p_T . These low- p_T events escape down the beampipe of the LHC’s large detectors, and it is important to understand now if interesting physics opportunities are currently being missed in this “wasted” cross section.

In recent years, it has become clear that this is in fact the case, and there is a rich physics program that is largely unexplored in the far-forward region at the LHC. In this Letter of Interest, we consider the possibility of creating a Forward Physics Facility (FPF) to house a diverse set of experiments dedicated to carrying out this program in the HL-LHC era.

Location and General Features The FPF can be created by enlarging the existing cavern UJ12, which is approximately 500 m from the ATLAS IP. The beam collision axis passes just beyond UJ12’s southern wall (see Fig. 1). By extending UJ12 to encompass the beam collision axis with a 2 m buffer, all experiments so far envisioned for the FPF can be accommodated. Cavern UJ18 is a nearly identical alternative location on the opposite side of ATLAS.

The FPF’s location is shielded from the ATLAS IP by 100 m of concrete and rock. Beam and other backgrounds have been simulated with FLUKA [3–5], and these results have been validated with data taken by pilot detectors in 2018 [6, 7]. These results confirm that backgrounds at this location are exceptionally low, providing an ideal environment for the detection of neutrinos and other feebly-interacting particles.

Currently a number of experiments, including MilliQan [8, 9], FASER [6, 7, 10], CODEX-b [11, 12], FASER ν [13, 14], SND [15], and MAPP [16], are being constructed in or proposed for underground locations around the LHC. These are highly constrained by tunnels and infrastructure that were never intended to house experiments, and the necessary surveying and support services have been assembled piecemeal. Several of these experiments could find a home at the FPF, which would provide a unifying infrastructure, with sufficient space for both planned detectors and future experiments emerging from new ideas.

Long-Lived Particles New long-lived particles (LLPs) are motivated by the existence of a dark sector and searches for them are of great interest [17–19]. The FPF will be an excellent home for experiments searching for LLPs with masses in the MeV to several GeV range. At the HL-LHC, all mesons will be produced in large numbers, and their decays can produce a large flux of energetic forward-going LLPs. The discovery potential for LLPs at the FPF is well-documented. Building on the FASER experiment, currently under construction for Run 3, an upgraded FASER 2 detector is currently planned for the HL-LHC [20]. With a radius of 1 m and a length of 5 m, FASER 2 is too big for the existing tunnel, but could be easily accommodated in the FPF. Such a detector has the potential to discover dark photons and other light gauge bosons [10, 21–26], dark Higgs bosons and other light scalars [27–30], heavy neutral leptons [31–33],




Figure 1. **Left:** The existing cavern UJ12 and side tunnel TI12 (blue), the LHC beamline (dark blue), and the extension of UJ12 around the beam collision axis (light blue) needed to create the Forward Physics Facility. [Credits: CERN GIS, Liam Dougherty.] **Right:** View of UJ12 from TI12. The LHC beamline is on the left, and the beam collision axis passes along the wall on the right, roughly 90 cm above the cavern floor. [Credit: Jamie Boyd.]

axion-like particles [34, 35], and many other models [36–44].

Milli-Charged Particles The MilliQan [8] demonstrator experiment, located in a tunnel near CMS, has already established world-leading sensitivity to milli-charged particles [9]. The possibility of placing a MilliQan-type detector at the FPF location is currently under study [45]. Preliminary results indicate that the enormous meson fluxes, leading to large milli-charged particle fluxes, at the FPF imply significantly improved sensitivities to milli-charged particles, including the prospect of detecting particles with charges around 10^{-4} to $10^{-2} e$ for masses between 10 MeV and 100 GeV [46].

Dark Matter Detection LLPs may decay to dark matter particles, which may be detected in a far-forward detector. The search for dark-matter scattering has been studied for the off-axis SND emulsion detector [15], and preliminary studies are underway for on-axis locations [47, 48]. Provided backgrounds, for example, from neutrino scattering, can be brought under control, experiments at the FPF may be able to probe significant new regions of parameter space, including those with the right thermal relic density.

High-Energy Neutrinos Although no collider neutrino has ever been detected, the LHC provides an intense, strongly collimated beam of highly energetic neutrinos of all three flavors in the far-forward region around the beam collision axis. The prospects for neutrino detection in the far-forward region have been studied for the emulsion detectors FASER ν [13, 14] and SND [15], and the prospects for a larger detector, FASER ν 2, which could be housed at the FPF, have also been considered [49, 50]. With the expected luminosity of the HL-LHC and ~ 10 tons of emulsion, FASER ν 2 will detect $10^5 \nu_e$, $10^6 \nu_\mu$ and $10^3 \nu_\tau$ with TeV energies, constraining neutrino cross sections at the highest human-made energies ever recorded in a way complementary to IceCube [51, 52], starting an era of precision tau-neutrino physics, and providing a novel probe of many other neutrino properties and neutrino-related models of new physics [53–56].

QCD and Forward Hadron Production Although existing LHC detectors have great coverage of the central region, the production of particles in the far-forward direction is poorly constrained. In this regime, the measurement of the neutrino flux and spectrum will provide constraints on QCD that are complementary to those provided by other facilities, such as the EIC [57] and LHeC [58]. This will help validate and improve the underlying hadronic interaction models [59–61] and multi-purpose event generators [62–64], help constrain the gluon PDF at $x \sim 1$, test intrinsic charm at large x [65, 66], test the DGLAP formalism in the low x region ($x \sim 10^{-7}$) for $Q^2 \sim \text{few GeV}^2$, and quantify potential effects due to the transition to other factorization and evolution formalisms, eventually incorporating gluon saturation [67]. In addition, DIS neutrino interactions will constrain PDFs, particularly the strange quark’s through $\nu s \rightarrow \ell c$ [68, 69]. Measurements for a variety of nuclear targets, ranging from light to heavy nuclei, will also constrain nuclear PDFs [70–72] and may help resolve tension in existing DIS data [73].

Cosmic Rays and Cosmic Neutrinos The understanding of forward particle production plays an important role in astroparticle physics [74–77]. Measurements of forward muons and muon neutrinos may provide useful information to understand the observed excess of muons in cosmic-ray air showers [78–81]. In addition, constraints on forward charm production using LHC neutrinos [53, 82] would be a key input for both the current and upcoming generations of large-scale neutrino telescopes, as they will reduce some of the important uncertainties affecting prompt atmospheric neutrino fluxes [83]. Although this process is most certainly the dominant background for searches for high-energy astrophysical neutrinos above 100 TeV, current analyses of IceCube data have not been able to disentangle the prompt neutrino flux from other flux components [84], and present state-of-the-art theory predictions have large uncertainties [85].

Summary The Forward Physics Facility will provide a unifying infrastructure for far-forward experiments at the HL-LHC. Relative to the cost of the HL-LHC, the FPF and its experiments require a modest additional investment. At the same time, these experiments will be unique probes of standard model physics, will significantly extend the LHC’s discovery potential, and are well aligned with the European Strategy Update’s recommendations for a diverse experimental program [86]. Additional studies of the FPF’s physics potential, the optimal mix of experiments for the FPF, the civil engineering required to construct the FPF, and similar facilities at other future colliders are all important topics for further study.

-
- [1] **ATLAS** Collaboration, M. Aaboud *et al.*, “Measurement of the Inelastic Proton-Proton Cross Section at $\sqrt{s} = 13$ TeV with the ATLAS Detector at the LHC,” *Phys. Rev. Lett.* **117** (2016) 182002, [arXiv:1606.02625 \[hep-ex\]](#).
 - [2] **CMS** Collaboration, H. Van Haevermaet, “Measurement of the inelastic proton-proton cross section at $\sqrt{s} = 13$ TeV,” *PoS DIS2016* (2016) 198, [arXiv:1607.02033 \[hep-ex\]](#).
 - [3] A. Ferrari, P. R. Sala, A. Fasso, and J. Ranft, “FLUKA: A multi-particle transport code (Program version 2005),”.
 - [4] G. Battistoni *et al.*, “Overview of the FLUKA code,” *Annals Nucl. Energy* **82** (2015) 10–18.
 - [5] CERN Sources, Targets, and Interactions Group, M. Sabate-Gilarte, F. Cerutti, and A. Tsinganis, “Characterization of the radiation field for the faser experiment,” tech. rep., 2018.
 - [6] **FASER** Collaboration, A. Ariga *et al.*, “Letter of Intent for FASER: ForwArd Search ExpeRiment at the LHC,” [arXiv:1811.10243 \[physics.ins-det\]](#).
 - [7] **FASER** Collaboration, A. Ariga *et al.*, “Technical Proposal for FASER: ForwArd Search ExpeRiment at the LHC,” [arXiv:1812.09139 \[physics.ins-det\]](#).
 - [8] A. Ball *et al.*, “A Letter of Intent to Install a milli-charged Particle Detector at LHC P5,” [arXiv:1607.04669 \[physics.ins-det\]](#).
 - [9] A. Ball *et al.*, “Search for millicharged particles in proton-proton collisions at $\sqrt{s} = 13$ TeV,” *Phys. Rev. D* **102** (2020) no. 3, 032002, [arXiv:2005.06518 \[hep-ex\]](#).
 - [10] J. L. Feng, I. Galon, F. Kling, and S. Trojanowski, “ForwArd Search ExpeRiment at the LHC,” *Phys. Rev. D* **97** (2018) no. 3, 035001, [arXiv:1708.09389 \[hep-ph\]](#).
 - [11] V. V. Gligorov, S. Knapen, M. Papucci, and D. J. Robinson, “Searching for Long-lived Particles: A Compact Detector for Exotics at LHCb,” *Phys. Rev. D* **97** (2018) no. 1, 015023, [arXiv:1708.09395 \[hep-ph\]](#).
 - [12] G. Aielli *et al.*, “Expression of Interest for the CODEX-b Detector,” [arXiv:1911.00481 \[hep-ex\]](#).
 - [13] **FASER** Collaboration, H. Abreu *et al.*, “Detecting and Studying High-Energy Collider Neutrinos with FASER at the LHC,” *Eur. Phys. J. C* **80** (2020) no. 1, 61, [arXiv:1908.02310 \[hep-ex\]](#).
 - [14] **FASER** Collaboration, H. Abreu *et al.*, “Technical Proposal: FASERnu,” [arXiv:2001.03073 \[physics.ins-det\]](#).
 - [15] **SHiP** Collaboration, C. Ahdida *et al.*, “SND@LHC,” [arXiv:2002.08722 \[physics.ins-det\]](#).
 - [16] M. Frank, M. de Montigny, P.-P. A. Ouimet, J. Pinfold, A. Shaa, and M. Staelens, “Searching for Heavy Neutrinos with the MoEDAL-MAPP Detector at the LHC,” *Phys. Lett. B* **802** (2020) 135204, [arXiv:1909.05216 \[hep-ph\]](#).
 - [17] M. Battaglieri *et al.*, “US Cosmic Visions: New Ideas in Dark Matter 2017: Community Report,” in *U.S. Cosmic Visions: New Ideas in Dark Matter*. 7, 2017. [arXiv:1707.04591 \[hep-ph\]](#).
 - [18] J. Alimena *et al.*, “Searching for Long-Lived Particles beyond the Standard Model at the Large Hadron Collider,” [arXiv:1903.04497 \[hep-ex\]](#).
 - [19] J. Beacham *et al.*, “Physics Beyond Colliders at CERN: Beyond the Standard Model Working Group Report,” *J. Phys. G* **47** (2020) no. 1, 010501, [arXiv:1901.09966 \[hep-ex\]](#).
 - [20] **FASER** Collaboration, “FASER 2: Forward Search Experiment at the HL LHC.” https://www.snowmass21.org/docs/files/summaries/EF/SNOWMASS21-EF9_EF6-NF3_NF6-RF6_RF0-CF7_CF0-AF5_AF0_FASER2-038.pdf.
 - [21] M. Bauer, P. Foldenauer, and J. Jaeckel, “Hunting All the Hidden Photons,” *JHEP* **18** (2020) 094, [arXiv:1803.05466 \[hep-ph\]](#).
 - [22] R. N. Mohapatra and N. Okada, “Dark Matter Constraints on Low Mass and Weakly Coupled B-L Gauge Boson,” [arXiv:1908.11325 \[hep-ph\]](#).
 - [23] V. Baules, N. Okada, and S. Okada, “Braneworld Cosmological Effect on Freeze-in Dark Matter Density and Lifetime Frontier,” [arXiv:1911.05344 \[hep-ph\]](#).
 - [24] N. Okada, S. Okada, and Q. Shafi, “Light Z' and Dark Matter from $U(1)_X$ Gauge Symmetry,” [arXiv:2003.02667 \[hep-ph\]](#).
 - [25] B. Dutta, S. Ghosh, and J. Kumar, “Opportunities for probing $U(1)_{T3R}$ with light mediators,” [arXiv:2007.16191 \[hep-ph\]](#).
 - [26] T. Araki, K. Asai, H. Otono, T. Shimomura, and Y. Takubo, “Dark Photon from Light Scalar Boson Decays at FASER,” [arXiv:2008.12765 \[hep-ph\]](#).
 - [27] J. L. Feng, I. Galon, F. Kling, and S. Trojanowski, “Dark Higgs bosons at the ForwArd Search ExpeRiment,” *Phys. Rev. D* **97** (2018) no. 5, 055034, [arXiv:1710.09387 \[hep-ph\]](#).

- [28] B. Batell, A. Freitas, A. Ismail, and D. Mckeen, “Flavor-specific scalar mediators,” *Phys. Rev. D* **98** (2018) no. 5, 055026, [arXiv:1712.10022 \[hep-ph\]](#).
- [29] I. Boiarska, K. Bondarenko, A. Boyarsky, M. Ovchinnikov, O. Ruchayskiy, and A. Sokolenko, “Light scalar production from Higgs bosons and FASER 2,” *JHEP* **05** (2020) 049, [arXiv:1908.04635 \[hep-ph\]](#).
- [30] N. Okada and D. Raut, “Hunting Inflaton at FASER,” [arXiv:1910.09663 \[hep-ph\]](#).
- [31] F. Kling and S. Trojanowski, “Heavy Neutral Leptons at FASER,” *Phys. Rev. D* **97** (2018) no. 9, 095016, [arXiv:1801.08947 \[hep-ph\]](#).
- [32] J. C. Helo, M. Hirsch, and Z. S. Wang, “Heavy neutral fermions at the high-luminosity LHC,” *JHEP* **07** (2018) 056, [arXiv:1803.02212 \[hep-ph\]](#).
- [33] Y. Jho, J. Kim, P. Ko, and S. C. Park, “Search for sterile neutrino with light gauge interactions: recasting collider, beam-dump, and neutrino telescope searches,” [arXiv:2008.12598 \[hep-ph\]](#).
- [34] J. L. Feng, I. Galon, F. Kling, and S. Trojanowski, “Axionlike particles at FASER: The LHC as a photon beam dump,” *Phys. Rev. D* **98** (2018) no. 5, 055021, [arXiv:1806.02348 \[hep-ph\]](#).
- [35] P. deNiverville and H.-S. Lee, “Implications of the dark axion portal for SHiP and FASER and the advantages of monophoton signals,” *Phys. Rev. D* **100** (2019) no. 5, 055017, [arXiv:1904.13061 \[hep-ph\]](#).
- [36] A. Berlin and F. Kling, “Inelastic Dark Matter at the LHC Lifetime Frontier: ATLAS, CMS, LHCb, CODEX-b, FASER, and MATHUSLA,” *Phys. Rev. D* **99** (2019) no. 1, 015021, [arXiv:1810.01879 \[hep-ph\]](#).
- [37] D. Dercks, J. De Vries, H. K. Dreiner, and Z. S. Wang, “R-parity Violation and Light Neutralinos at CODEX-b, FASER, and MATHUSLA,” *Phys. Rev. D* **99** (2019) no. 5, 055039, [arXiv:1810.03617 \[hep-ph\]](#).
- [38] **FASER** Collaboration, A. Ariga *et al.*, “FASER’s physics reach for long-lived particles,” *Phys. Rev. D* **99** (2019) no. 9, 095011, [arXiv:1811.12522 \[hep-ph\]](#).
- [39] F. Deppisch, S. Kulkarni, and W. Liu, “Heavy neutrino production via Z' at the lifetime frontier,” *Phys. Rev. D* **100** (2019) no. 3, 035005, [arXiv:1905.11889 \[hep-ph\]](#).
- [40] K. Jodłowski, F. Kling, L. Roszkowski, and S. Trojanowski, “Extending the reach of FASER, MATHUSLA, and SHiP towards smaller lifetimes using secondary particle production,” *Phys. Rev. D* **101** (2020) no. 9, 095020, [arXiv:1911.11346 \[hep-ph\]](#).
- [41] L. Darmé, S. A. Ellis, and T. You, “Light Dark Sectors through the Fermion Portal,” *JHEP* **07** (2020) 053, [arXiv:2001.01490 \[hep-ph\]](#).
- [42] K. J. Kelly, M. Sen, W. Tangarife, and Y. Zhang, “Origin of sterile neutrino dark matter via secret neutrino interactions with vector bosons,” *Phys. Rev. D* **101** (2020) no. 11, 115031, [arXiv:2005.03681 \[hep-ph\]](#).
- [43] F. Kling and S. Trojanowski, “Looking forward to test the KOTO anomaly with FASER,” *Phys. Rev. D* **102** (2020) no. 1, 015032, [arXiv:2006.10630 \[hep-ph\]](#).
- [44] C. Csáki, R. T. D’Agnolo, M. Geller, and A. Ismail, “Crunching Dilaton, Hidden Naturalness,” [arXiv:2007.14396 \[hep-ph\]](#).
- [45] S. Foroughi, F. Kling, and Y.-D. Tsai. In preparation.
- [46] Y.-D. Tsai, “Looking Forward for Millicharged Particles at the LHC,” 2020. https://indico.fnal.gov/event/43963/contributions/191745/attachments/131726/163538/Forward_MCP_Tsai_v1.pdf.
Snowmass 2021 Energy Frontier Workshop.
- [47] B. Batell, “Dark Matter Detection with FASER ν ,” 2020. <https://indico.fnal.gov/event/43963>.
Snowmass 2021 Energy Frontier Workshop.
- [48] B. Batell, J. L. Feng, and S. Trojanowski. In preparation.
- [49] **FASER** Collaboration, “FASER ν 2: A Forward Neutrino Experiment at the HL LHC,” https://www.snowmass21.org/docs/files/summaries/NF/SNOWMASS21-NF10_NF6-EF6-EF9-IF0_FASERnu2-006.pdf.
- [50] **FASER** Collaboration, A. Ariga *et al.*, “Neutrino / Dark Particle Detectors for the HL-LHC Forward Beam.” https://www.snowmass21.org/docs/files/summaries/NF/SNOWMASS21-NF10_NF0-EF0-EF0_Ariga-072.pdf.
- [51] M. Bustamante and A. Connolly, “Extracting the Energy-Dependent Neutrino-Nucleon Cross Section above 10 TeV Using IceCube Showers,” *Phys. Rev. Lett.* **122** (2019) no. 4, 041101, [arXiv:1711.11043 \[astro-ph.HE\]](#).
- [52] **IceCube** Collaboration, M. Aartsen *et al.*, “Measurement of the multi-TeV neutrino cross section with IceCube using Earth absorption,” *Nature* **551** (2017) 596–600, [arXiv:1711.08119 \[hep-ex\]](#).
- [53] W. Bai, M. Diwan, M. V. Garzelli, Y. S. Jeong, and M. H. Reno, “Far-forward neutrinos at the Large Hadron Collider,” *JHEP* **06** (2020) 032, [arXiv:2002.03012 \[hep-ph\]](#).
- [54] M. Bahrminasr, P. Bakhti, and M. Rajaei, “Sensitivities to secret neutrino interaction at FASER ν ,” [arXiv:2003.09985 \[hep-ph\]](#).
- [55] F. Kling, “Probing light gauge bosons in tau neutrino experiments,” *Phys. Rev. D* **102** (2020) no. 1, 015007, [arXiv:2005.03594 \[hep-ph\]](#).

- [56] P. Bakhti, Y. Farzan, and S. Pascoli, “Unravelling the richness of dark sector by FASER ν ,” [arXiv:2006.05437 \[hep-ph\]](#).
- [57] A. Accardi *et al.*, “Electron Ion Collider: The Next QCD Frontier,” *Eur. Phys. J. A* **52** (2016) no. 9, 268, [arXiv:1212.1701 \[nucl-ex\]](#).
- [58] **LHeC, FCC-he Study Group** Collaboration, P. Agostini *et al.*, “The Large Hadron-Electron Collider at the HL-LHC,” [arXiv:2007.14491 \[hep-ex\]](#).
- [59] T. Pierog, I. Karpenko, J. M. Katzy, E. Yatsenko, and K. Werner, “EPOS LHC: Test of collective hadronization with data measured at the CERN Large Hadron Collider,” *Phys. Rev. C* **92** (2015) 034906, [arXiv:1306.0121 \[hep-ph\]](#).
- [60] S. Ostapchenko, “Monte Carlo treatment of hadronic interactions in enhanced Pomeron scheme: I. QGSJET-II model,” *Phys. Rev. D* **83** (2011) 014018, [arXiv:1010.1869 \[hep-ph\]](#).
- [61] A. Fedynitch, F. Riehn, R. Engel, T. K. Gaisser, and T. Stanev, “Hadronic interaction model sibyll 2.3c and inclusive lepton fluxes,” *Phys. Rev. D* **100** (2019) no. 10, 103018, [arXiv:1806.04140 \[hep-ph\]](#).
- [62] J. Bellm *et al.*, “Herwig 7.0/Herwig++ 3.0 release note,” *Eur. Phys. J. C* **76** (2016) no. 4, 196, [arXiv:1512.01178 \[hep-ph\]](#).
- [63] T. Sjöstrand, S. Ask, J. R. Christiansen, R. Corke, N. Desai, P. Ilten, S. Mrenna, S. Prestel, C. O. Rasmussen, and P. Z. Skands, “An introduction to PYTHIA 8.2,” *Comput. Phys. Commun.* **191** (2015) 159–177, [arXiv:1410.3012 \[hep-ph\]](#).
- [64] T. Gleisberg, S. Hoeche, F. Krauss, M. Schonherr, S. Schumann, F. Siegert, and J. Winter, “Event generation with SHERPA 1.1,” *JHEP* **02** (2009) 007, [arXiv:0811.4622 \[hep-ph\]](#).
- [65] F. Carvalho, A. Giannini, V. Goncalves, and F. Navarra, “ D^- meson production at very forward rapidities: estimating the intrinsic charm contribution,” *Phys. Rev. D* **96** (2017) no. 9, 094002, [arXiv:1701.08451 \[hep-ph\]](#).
- [66] R. Maciula and A. Szczurek, “Intrinsic charm in the nucleon and charm production at large rapidities in collinear, hybrid and k_T -factorization approaches,” [arXiv:2006.16021 \[hep-ph\]](#).
- [67] A. D. Martin, “Proton structure, Partons, QCD, DGLAP and beyond,” *Acta Phys. Polon. B* **39** (2008) 2025–2062, [arXiv:0802.0161 \[hep-ph\]](#).
- [68] **NuTeV** Collaboration, M. Goncharov *et al.*, “Precise Measurement of Dimuon Production Cross-Sections in ν_μ Fe and $\bar{\nu}_\mu$ Fe Deep Inelastic Scattering at the Tevatron,” *Phys. Rev. D* **64** (2001) 112006, [arXiv:hep-ex/0102049](#).
- [69] A. Kayis-Topaksu *et al.*, “Measurement of charm production in neutrino charged-current interactions,” *New J. Phys.* **13** (2011) 093002, [arXiv:1107.0613 \[hep-ex\]](#).
- [70] K. Kovarik *et al.*, “nCTEQ15 - Global analysis of nuclear parton distributions with uncertainties in the CTEQ framework,” *Phys. Rev. D* **93** (2016) no. 8, 085037, [arXiv:1509.00792 \[hep-ph\]](#).
- [71] K. J. Eskola, P. Paakkinen, H. Paukkunen, and C. A. Salgado, “EPPS16: Nuclear parton distributions with LHC data,” *Eur. Phys. J. C* **77** (2017) no. 3, 163, [arXiv:1612.05741 \[hep-ph\]](#).
- [72] R. Abdul Khalek, J. J. Ethier, J. Rojo, and G. van Weelden, “nNNPDF2.0: Quark Flavor Separation in Nuclei from LHC Data,” [arXiv:2006.14629 \[hep-ph\]](#).
- [73] K. Kovarik, I. Schienbein, F. Olness, J. Yu, C. Keppel, J. Morfin, J. Owens, and T. Stavreva, “Nuclear Corrections in Neutrino-Nucleus DIS and Their Compatibility with Global NPDF Analyses,” *Phys. Rev. Lett.* **106** (2011) 122301, [arXiv:1012.0286 \[hep-ph\]](#).
- [74] R. Engel, D. Heck, and T. Pierog, “Extensive air showers and hadronic interactions at high energy,” *Ann. Rev. Nucl. Part. Sci.* **61** (2011) 467–489.
- [75] M. Bustamante *et al.*, “Cosmic Neutrino Probes of Fundamental Physics,” https://www.snowmass21.org/docs/files/summaries/CF/SNOWMASS21-CF7_CF1-NF4_NF3-TF11_TF0_Mauricio_Bustamante-048.pdf.
- [76] L. A. (for the CF7 SNOWMASS Working Group), *Synergy of astro-particle physics and collider physics*, Aug., 2020. <https://doi.org/10.5281/zenodo.4009452>.
- [77] D. Soldin *et al.*, “Studies of the Muon Excess in Cosmic Ray Air Showers,” https://www.snowmass21.org/docs/files/summaries/CF/SNOWMASS21-CF7_CF0-EF6_EF7-AF4_AF0_Dennis_Soldin-083.pdf.
- [78] **Pierre Auger** Collaboration, A. Aab *et al.*, “Muons in Air Showers at the Pierre Auger Observatory: Mean Number in Highly Inclined Events,” *Phys. Rev. D* **91** (2015) no. 3, 032003, [arXiv:1408.1421 \[astro-ph.HE\]](#). [Erratum: Phys.Rev.D 91, 059901 (2015)].
- [79] **Pierre Auger** Collaboration, A. Aab *et al.*, “Testing Hadronic Interactions at Ultrahigh Energies with Air Showers Measured by the Pierre Auger Observatory,” *Phys. Rev. Lett.* **117** (2016) no. 19, 192001, [arXiv:1610.08509 \[hep-ex\]](#).
- [80] **EAS-MSU, IceCube, KASCADE-Grande, NEVOD-DECOR, Pierre Auger, SUGAR, Telescope**

- Array, Yakutsk EAS Array** Collaboration, H. Dembinski *et al.*, “Report on Tests and Measurements of Hadronic Interaction Properties with Air Showers,” *EPJ Web Conf.* **210** (2019) 02004, [arXiv:1902.08124 \[astro-ph.HE\]](#).
- [81] **EAS-MSU, IceCube, KASCADE Grande, NEVOD-DECOR, Pierre Auger, SUGAR, Telescope Array** Collaboration, L. Cazon, “Working Group Report on the Combined Analysis of Muon Density Measurements from Eight Air Shower Experiments,” *PoS ICRC2019* (2020) 214, [arXiv:2001.07508 \[astro-ph.HE\]](#).
- [82] W. Bai, M. Diwan, M. V. Garzelli, Y. S. Jeong, and M. H. Reno, “Far-forward neutrinos at the LHC and QCD,” <https://www.snowmass21.org/docs/files/summaries/EF/SNOWMASS21-EF6-CF7-024.pdf>.
- [83] V. P. Goncalves, R. Maciul a, R. Pasechnik, and A. Szczurek, “Mapping the dominant regions of the phase space associated with $c\bar{c}$ production relevant for the prompt atmospheric neutrino flux,” *Phys. Rev. D* **96** (2017) no. 9, 094026, [arXiv:1708.03775 \[hep-ph\]](#).
- [84] **IceCube** Collaboration, M. Aartsen *et al.*, “Observation of High-Energy Astrophysical Neutrinos in Three Years of IceCube Data,” *Phys. Rev. Lett.* **113** (2014) 101101, [arXiv:1405.5303 \[astro-ph.HE\]](#).
- [85] **PROSA** Collaboration, O. Zenaiev, M. V. Garzelli, K. Lipka, S. O. Moch, A. Cooper-Sarkar, F. Olness, A. Geiser, and G. Sigl, “Improved constraints on parton distributions using LHCb, ALICE and HERA heavy-flavour measurements and implications for the predictions for prompt atmospheric-neutrino fluxes,” *JHEP* **04** (2020) 118, [arXiv:1911.13164 \[hep-ph\]](#).
- [86] **European Strategy Group** Collaboration, *2020 Update of the European Strategy for Particle Physics*. CERN Council, Geneva, 2020.